

Audio

A 103 dB(A)Leq15 limit has to be maintained at all times due to local regulations. The provided and calibrated 10EaZy system is always leading.

Power

16A 3 Phase for all Audio (1x16A for backline)

PA-System: Processor settings made by Dynamo only

Tops	6	Adamson Spektrix-t
Tops	2	Adamson Spektrix W-t
Subs	4	Adamson Spektrix Sub
Amplifiers	2	Labgruppen FP10000C
Processor	1	XTA DP446
Processor	1	XTA DP444

FOH Console

Console	1	Allen & Heath SQ6
Stagerack	2	Allen & Heath DX168 (32in/16out)
Option card	1	Dante 64x64

Monitor System: Maximum 4 groups

Wedges	4	Qube QM-115M (bi-amped)
Processor	1	Xilica XP4080
Amplifier	1	Powersoft M50Q (low)
Amplifier	1	Powersoft M28Q (high)

Audio

Microphones

Shure SM58	5
Shure SM57	5
Shure Beta 52	2
Shure Beta 91	1
Sennheiser E904	5
Sennheiser E606	2
Sennheiser E614	2
Sennheiser MD421	1
AKG C430	2

DI's

Behringer Ultra DI	8
--------------------	---

Stands:

K&M Tall	4
K&M Mid	6
K&M Low	2

Lights

Video not available!

Power (on stage)

3 phase 16A available

Stage

Showtec strobe 1500 W	1
Ledwash Eurolite TMH-9 (12ch mode)	12
Par 56 250w MFL	20

Hall

Ledwash Eurolite TMH-9 (12ch mode)	10
Showtec Octostrip	16
Par 56 250w MFL	20

Free

Hazer 1500w (dmx)	1
-------------------	---

Light Desk

Avolites Quartz	1
-----------------	---

Stage Dimensions

Height	0,40 meter
Width	4,00 meter
Depth	4,50 meter
Clearance	2,40 meter

